

PHP Version 5.2.10




System	FreeBSD www.armeeshop24.de 6.2-RELEASE-p3 FreeBSD 6.2-RELEASE-p3 #2: Thu Mar 6 02:16:56 CET 2008 root@medusaV-1.continum.net:/usr/obj/usr/src/sys/MEDUSAV-I amd64
Build Date	Jul 23 2009 13:45:49
Configure Command	'./configure' '--prefix=/opt/php-5.2.10' '--with-apxs2=/opt/apache/bin/apxs' '--with-gd=/usr/local' '--with-mysql=/opt/mysql' '--with-mysqli=/opt/mysql/bin/mysql_config' '--with-pdo-mysql=/opt/mysql' '--with-curl=/usr/local' '--with-config-file-path=/etc/php5' '--enable-memory-limit' '--with-regex=php' '--disable-rpath' '--with-pic' '--with-pear' '--enable-calendar' '--enable-sysvsem' '--enable-sysvshm' '--enable-sysvmsg' '--enable-bcmath' '--with-bz2' '--enable-ctype' '--with-iconv' '--enable-exif' '--enable-filepro' '--enable-ftp' '--with-gettext' '--enable-mbstring' '--with-pcre-regex' '--enable-shmop' '--enable-sockets' '--enable-wddx' '--with-expat-dir=/usr/local' '--with-xmlrpc' '--with-dom=/usr/local' '--enable-xslt' '--with-xslt-sablot=/usr/local' '--enable-yp' '--with-zlib=/usr' '--with-jpeg-dir=/usr/local' '--with-png-dir=/usr/local' '--with-freetype-dir=/usr/local' '--with-xpm-dir=/usr/local' '--with-openssl=/usr/local' '--with-zip=/usr/local' '--enable-dbx' '--with-mcrypt=/usr/local' '--with-mime-magic' '--with-exec-dir=/opt/php5/libexec'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5
Loaded Configuration File	/etc/php5/php.ini
Scan this dir for additional .ini files	(none)
additional .ini files parsed	(none)
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no

Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, data, http, ftp
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.2.0, Copyright (c) 1998-2009 Zend Technologies
 with the ionCube PHP Loader v3.1.24, Copyright (c) 2002-2006, by ionCube Ltd., and
 with Zend Extension Manager v1.2.2, Copyright (c) 2003-2007, by Zend Technologies
 with Zend Optimizer v3.3.0, Copyright (c) 1998-2007, by Zend Technologies

Powered By



PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>

auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	6143	6143
expose_php	On	On
extension_dir	./	./
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off

implicit_flush	Off	Off
include_path	./opt/php-5.2.10/lib/php	./opt/php-5.2.10/lib/php
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_input_nesting_level	64	64
max_input_time	60	60
memory_limit	50M	50M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100

short_open_tag	Off	Off
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

apache2handler

Apache Version	Apache/2.2.11 (Unix) PHP/5.2.10 mod_ssl/2.2.11 OpenSSL/0.9.8d
Apache API Version	20051115
Server Administrator	technik@continuum.net
Hostname:Port	www.armeeshop24.de:0
User/Group	arshop(1032)/1029
Max Requests	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 5
Virtual Server	Yes
Server Root	/opt/apache
Loaded Modules	core mod_authn_file mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_default mod_auth_basic mod_include mod_filter mod_log_config mod_env mod_mime_magic mod_setenvif mod_ssl prefork http_core mod_mime mod_status mod_autoindex mod_asis mod_cgi mod_negotiation mod_dir mod_actions mod_userdir mod_alias mod_rewrite mod_so mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	armeeshop24.datafarm.de
HTTP_USER_AGENT	Mozilla/5.0 (Windows; U; Windows NT 5.2; de; rv:1.9.1.2) Gecko/20090729 Firefox/3.5.2
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	de-de;de;q=0.8,en-us;q=0.5,en;q=0.3
HTTP_ACCEPT_ENCODING	gzip,deflate
HTTP_ACCEPT_CHARSET	ISO-8859-1,utf-8;q=0.7,*;q=0.7
HTTP_KEEP_ALIVE	300
HTTP_CONNECTION	keep-alive
PATH	/sbin:/bin:/usr/sbin:/usr/bin:/usr/games:/usr/local/sbin:/usr/local/bin:/usr/X11R6/bin:/root/bin
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache/2.2.11 (Unix) PHP/5.2.10 mod_ssl/2.2.11 OpenSSL/0.9.8d
SERVER_NAME	armeeshop24.datafarm.de
SERVER_ADDR	80.72.128.189
SERVER_PORT	80
REMOTE_ADDR	80.72.130.250
DOCUMENT_ROOT	/htdocs/www.armeeshop24.de
SERVER_ADMIN	technik@continuum.net
SCRIPT_FILENAME	/htdocs/www.armeeshop24.de/php.php
REMOTE_PORT	2602
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1

REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/php.php
SCRIPT_NAME	/php.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /php.php HTTP/1.1
Host	armeeshop24.datafarm.de
User-Agent	Mozilla/5.0 (Windows; U; Windows NT 5.2; de; rv:1.9.1.2) Gecko/20090729 Firefox/3.5.2
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	de-de,de;q=0.8,en-us;q=0.5,en;q=0.3
Accept-Encoding	gzip,deflate
Accept-Charset	ISO-8859-1,utf-8;q=0.7,*;q=0.7
Keep-Alive	300
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.2.10
Keep-Alive	timeout=5, max=100
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

bcmath

BCMath support	enabled
-----------------------	---------

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.3, 15-Feb-2005

calendar

Calendar support	enabled
-------------------------	---------

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	libcurl/7.15.5 OpenSSL/0.9.8d zlib/1.2.3

date

date/time support	enabled
"Olson" Timezone Database Version	2009.9
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333

date.timezone	<i>no value</i>	<i>no value</i>
----------------------	-----------------	-----------------

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.26
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.173.2.5.2.28 2009/05/28 14:03:09 pajoye Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.47 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	2.0 or higher
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.2.1
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled

gettext

GetText Support	enabled
------------------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
----------------------	---------

iconv implementation	libiconv
iconv library version	1.9

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Version	2.6.26
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
-----------	-------------	--------------

mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
Version	2.5.7
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mime_magic

mime_magic support	invalid magic file, disabled
---------------------------	-------------------------------------

Directive	Local Value	Master Value
mime_magic.debug	Off	Off
mime_magic.magicfile	/usr/share/misc/magic.mime	/usr/share/misc/magic.mime

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.84
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/tmp/mysql.sock
MYSQL_INCLUDE	-I/opt/mysql/include/mysql
MYSQL_LIBS	-L/opt/mysql/lib/mysql -mysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.0.84
Client API header version	5.0.84
MYSQLI_SOCKET	/tmp/mysql.sock

Directive	Local Value	Master Value
mysqli.default_host	no value	no value
mysqli.default_port	3306	3306
mysqli.default_pw	no value	no value
mysqli.default_socket	no value	no value
mysqli.default_user	no value	no value
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8d 28 Sep 2006

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.9 2009-04-11

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL, client library version	5.0.84
---	---------------

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	(bundled) 1.0.1 \$Id: pdo_sqlite.c,v 1.10.2.6.2.4 2008/12/31 11:17:42 sebastian Exp \$
SQLite Library	3.3.7

posix

Revision	\$Revision: 1.70.2.3.2.22 \$
-----------------	------------------------------

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c,v 1.164.2.33.2.57 2009/05/21 16:05:11 lbarnaud Exp \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180

session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.46 \$
Schema support	enabled

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c,v 1.166.2.13.2.12 2008/12/31 11:17:44 sebastian Exp \$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

standard

Regex Library	Bundled library enabled
----------------------	-------------------------

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Revision: 1.20.2.3.2.8 \$

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.26

xmlreader

XMLReader	enabled
-----------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
-----------	---------

Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass 3	enabled
Optimization Pass 4	enabled
Optimization Pass 9	enabled
Zend Loader	enabled

License Path	<i>no value</i>
Obfuscation level	3

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
ionCube Loader
sysvsem
sysvshm

Environment

Variable	Value
USER	root
SSH_CLIENT	80.72.129.198 44342 22
MACHTYPE	unknown
MAIL	/var/mail/root

LD_LIBRARY_PATH	/opt/apache-2.2.11/lib:
VENDOR	unknown
SHLVL	1
HOME	/root
SSH_TTY	/dev/tty4
PAGER	more
GROUP	wheel
LOGNAME	root
TERM	xterm
BLOCKSIZE	K
PATH	/sbin:/bin:/usr/sbin:/usr/bin:/usr/games:/usr/local/sbin:/usr/local/bin:/usr/X11R6/bin:/root/bin
REMOTEHOST	netsup0.continum.net
SHELL	/bin/csh
HOST	medusaV-1.continum.net
OSTYPE	FreeBSD
PWD	/j1/armeeshop24/htdocs
SSH_CONNECTION	80.72.129.198 44342 80.72.128.193 22
FTP_PASSIVE_MODE	YES
HOSTTYPE	FreeBSD
EDITOR	vi

PHP Variables

Variable	Value
_SERVER["HTTP_HOST"]	armeeshop24.datafarm.de
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows; U; Windows NT 5.2; de; rv:1.9.1.2) Gecko/20090729 Firefox/3.5.2
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	de-de,de;q=0.8,en-us;q=0.5,en;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.7

_SERVER["HTTP_KEEP_ALIVE"]	300
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/sbin:/bin:/usr/sbin:/usr/bin:/usr/games:/usr/local/sbin:/usr/local/bin:/usr/X11R6/bin:/root/bin
_SERVER["SERVER_SIGNATURE"]	<i>no value</i>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.11 (Unix) PHP/5.2.10 mod_ssl/2.2.11 OpenSSL/0.9.8d
_SERVER["SERVER_NAME"]	armeeshop24.datafarm.de
_SERVER["SERVER_ADDR"]	80.72.128.189
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	80.72.130.250
_SERVER["DOCUMENT_ROOT"]	/htdocs/www.armeeshop24.de
_SERVER["SERVER_ADMIN"]	technik@continum.net
_SERVER["SCRIPT_FILENAME"]	/htdocs/www.armeeshop24.de/php.php
_SERVER["REMOTE_PORT"]	2602
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/php.php
_SERVER["SCRIPT_NAME"]	/php.php
_SERVER["PHP_SELF"]	/php.php
_SERVER["REQUEST_TIME"]	1258452147

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.